

Shoe Shine Machine With Sole Cleaner



GCM 130 S.Steel Shoe Shining Machine (Sole Cleaner)

- * Material : Stainless Steel
- * Voltage : 220V/50Hz
- * Rated Power : 105 W
- * RPM : 1400
- * Time Protection : 15 seconds auto cut off
- * Polish Capacity : 200ml
- * Dimensions : 510*320*495 mm

Shoe Shine Machine



GCM 131 S.Steel Shoe Shining Machine

- * Material : Stainless Steel
- * Voltage : 220V/50Hz
- * Rated Power : 40 W
- * RPM : 1400
- * Time Protection : 15 seconds auto cut off
- * Polish Capacity : 200ml
- * Dimensions : 280*370*210 mm



GCM 131 A, S.Steel Shoe Shining Machine

- * Material : Stainless Steel
- * Voltage : 220V/50Hz
- * Rated Power : 60 W
- * RPM : 1400
- * Time Protection : 15 seconds auto cut off
- * Polish Capacity : 200ml
- * Dimensions : 210*370*330 mm

Warranty Terms :

FOR HAND DRYERS

- * Sensor should not be clean by any hard chemical and acid.
- * Avoid Insertion of the water into the hand dryer as it may damage vital parts (It happens when maintenance people during washing of tiles make tiles so wet that water goes into the dryer.
- * Hand dryers works on 220V and excess supply of electricity from the electricity house may damage the Motor. It may happens when supply change from Generator Set & vice versa.
- * Any sort of breakage doesn't come under warranty.

FOR SHOE SHINING MACHINES

- * No warranty on Motor & Cream Kit of Shoe Shining Machines / Sole Cleaner Machines.
- * Warranty applicable only on Sensor & PCB.

MANUAL PRODUCTS

- * No warranty & after sale service for manual products.

GCM WASHROOM HYGIENE

Website : Gcministriesindia.co.in
Email: Gcministries2021@gmail.com

TAP HAND DRYER

GCM-199A



Technical Specifications:

- * Material : Cooper + Chroming
- * Double Sensor : Digital Modular DC Inverter Control
- * EMC : Reactance Filter Configuration, Compliant with CCC CE Rhos Certification
- * Total Power : 1150W
- * Brushless Motor Power : 650W/220V
- * Ceramic Heating Power : 500W/220V
- * Brushless Motor Speed : 42000 rpm/m
- * Air Speed : 100-110 m/s
- * UV Light Lamp Interface Reserved
- * Heater Control : Ambient Temperature / Auto Constant Temperature
- * HEPA Filter : YES
- * Product Size : 263 x 203.4 x 150 mm + Inner Host Size : 230 x 120 x 265 mm



PEDAL BINS S.S.

Soft Close, Fingerprint Resistant
Stainless Steel

DESIGNER & ROUND SWING BIN S.S.

For Hotels, Offices & Homes



SENSOR BINS S.S.

Unique Design Built on a passion for style.
Fingerprint Resistant

HRT DISPENSERS



Item Code : 34347

**Item Name : KC HRT Dispenser Big
(260 mtr Roll)**

Item Code : 46254

**Item Name : KC HRT Dispenser Big
(305 mtr Roll)**



Item Code : CM-127B

**Item Name : JRT Dispenser
Black**



Item Code : CM-127G

**Item Name : JRT Dispenser
Golden**

PAPER DISPENSER

GCM-124

White

- * Material : ABS Body
- * Paper Type : M Fold
- * Dimensions : 275 x 205 x 100 mm



GCM-124

Orange

- * Material : ABS Body
- * Paper Type : M Fold
- * Dimensions : 275 x 205 x 100 mm



GCM-125GS

Paper Dispenser Small ABS Grey / Silver

- * Material : ABS Body
- * Paper Type : M Fold
- * Dimensions : 275 x 205 x 100 mm



GCM-124A

Paper Dispenser Small ABS

- * Material : ABS Body
- * Paper Type : M Fold
- * Dimensions : 300 x 235 x 105 mm



S. Steel Soap Dispensers

GCM 119 (A) S.Steel Soap Dispenser V Shape (500ml)



- * Material : S.Steel (304G)
- * Capacity : 500ml
- * Drop : 1ml
- * Dimensions : 100x151x52 mm

GCM 119 (E) S.Steel Soap Dispenser V Shape(1000ml)



- * Material : S.Steel (304G)
- * Capacity : 1000ml
- * Drop : 1ml
- * Dimensions : 115x178x57 mm

GCM 119 (C) S. Steel Soap Dispenser 1000ml



- * Material : S. Steel (304G)
- * Capacity : 1000ml
- * Drop : 1ml
- * Dimensions : 190x65x121 mm

ELEGANT HOTEL SOAP DISPENSER SERIES

Soap Dispenser Sleek Single White / Black / Rose Gold (350 ml)



- * Material : PLASTIC ABS
- * Capacity : 350ml
- * Dimensions : 221.6(L) x 66(W) x 78(H) mm

Soap Dispenser Sleek Duo White / Black / Rose Gold (350 ml x 2)



- * Material : PLASTIC ABS
- * Capacity : 350ml x 2
- * Dimensions : 221.6(L) x 134(W) x 78(H) mm

Soap Dispenser Sleek Trio White / Black / Rose Gold (350 ml x 3)



- * Material : PLASTIC ABS
- * Capacity : 350ml x 3
- * Dimensions : 221.6(L) x 202(W) x 78(H) mm

ELEGANT HOTEL SOAP DISPENSER SERIES

GCM Soap Dispenser Slim White / Grey (250 ml)



- * Material : PLASTIC ABS
- * Capacity : 250ml
- * Dimensions : 215(L) x 50(W) x 65(H) mm

GCM Soap Dispenser Slim White / Grey Duo (250 ml x 2)



- * Material : PLASTIC ABS
- * Capacity : 250ml x 2
- * Dimensions : 215(L) x 100(W) x 65(H) mm

GCM Soap Dispenser Slim Tall White / Grey (500 ml)



- * Material : PLASTIC ABS
- * Capacity : 500ml
- * Dimensions : 320(L) x 50(W) x 65(H) mm

GCM Soap Dispenser Slim Tall White / Grey Duo (500 ml x 2)



- * Material : PLASTIC ABS
- * Capacity : 500ml x 2
- * Dimensions : 320(L) x 100(W) x 65(H) mm

GCM Soap Dispenser Slim Tall White / Grey Trio (500 ml x 3)



- * Material : PLASTIC ABS
- * Capacity : 500ml x 3
- * Dimensions : 320(L) x 150(W) x 65(H) mm

HOTEL SOAP DISPENSER SERIES

GCM -120D ABS Soap Dispensers (Black/Grey/White)



- * Material : ABS
- * Capacity : 420ml
- * Drop : 1.0 ml
- * Dimensions :
275(W)*65(H)*50(D) mm

GCM-121D, ABS Soap Dispenser 350ml White



- * Material : ABS
- * Capacity : 350ml
- * Drop : 1.2 ml
- * Dimensions :
220(W)*70(H)*65(D) mm

GCM-121DB, ABS Soap Dispenser 350ml Black



- * Material : ABS
- * Capacity : 350ml
- * Drop : 1.2 ml
- * Dimensions :
220(W)*70(H)*65(D) mm

MALAYSIAN DISPENSER SERIES

GCM-121 J

- * Material : ABS
- * Capacity : 500ml
- * Drop : 0.5 ml
- * Heavy Duty Pump System
- * Dimension : 190(H)*118(D)*108(W) mm



GCM-121 K

- * Material : ABS
- * Capacity : 1000ml
- * Drop : 0.5 ml
- * Heavy Duty Pump System
- * Dimension : 248(H)*118(D)*108(W) mm

*** Available in Soap, Foam & Spray Nozzle**



GCM -120 (White/Black)

- * Material : ABS
- * Capacity : 300ml
- * Drop : 0.5 ml
- * Heavy Duty Pump System
- * Suitable for dispensing Shower Gel, Shampoo, Washing Lotion, Liquid Soap
- * Dimension : 198(H)*95(D)*97(W) mm



AUTOMATIC SOAP DISPENSER

GCM 194B, Automatic Soap Dispenser (1200 ml)



* Available in Foam Type Also

- * Material : S. Steel 304 Grade
- * Capacity : 1200ml
- * Detection Zone : 2-10 cms
- * Drop : 1 ml
- * Dimensions : 140(W)*235(H)*102(D) mm
- * Battery : 4*AA size Duracell / Alkaline Battery
- * Suitable for Alcohol Gel, Liquid Alcohol, Liquid Soap, Hand Sanitizers

GCM 189, Automatic Soap & Sanitizer Dispenser (1100 ml)



- * Material : S. Steel 304 Grade
- * Capacity : 1100ml
- * Detection Zone : 10-15 cms
- * Drop : 0.8ml - 2.5ml adjustable
- * Dimensions : 130(W)*260(H)*80(D) mm
- * Battery : 4*AA size Duracell / Alkaline Battery
- * Suitable for Alcohol Gel, Liquid Alcohol, Liquid Soap, Hand Sanitizers , Sterilised Iodine

GCM 117, SS Automatic Soap & Sanitizer Dispenser (800 ml)



- * Material : S.Steel 304 grade
- * Capacity : 800ml
- * Detection Zone : 10-15 cms
- * Drop : 1 ml
- * Dimensions : 110(W)*275(H)*106(D) mm
- * Battery : 6*AA Duracell/Alkaline Battery
- * Suitable for Alcohol Gel, Liquid Soap

GCM -118D, ABS Automatic Soap Dispenser (1000 ml)



* Available in
Foam & Spray Nozzle

- * Material : ABS
- * Capacity : 1000ml
- * Detection Zone : 2-10 cms
- * Drop : 1ml
- * Dimensions : 130(W)*250(H)*100(D) mm
- * Battery : 4*C size Duracell / Alkaline Battery
- * Suitable for Alcohol Gel, Liquid Soap, Hand Sanitizers

DIFFUSER



GCM-241, Aroma Diffuser

Coverage: 200-300 cu.m.

Capacity: 200ml refillable Bottle

Power Supply: 5v DC Adaptor or 3 nos. D-type Alkaline batteries.

Power: 1.2W

Dimensions: 140.5x65.5x178 mm

Working control through APP (Connectivity with your modile via bluetooth)



GCM-242, Aroma Diffuser

Coverage: 400-500 cu.m.

Capacity: 200ml refillable Bottle

Power Supply: 12v DC Adaptor

Power: 2.5W

Dimensions: 140.5x65.5x178 mm

Working control through APP (Connectivity with your modile via bluetooth)



GCM-244, Aroma Diffuser

Coverage: 3000-4000 cu.m.

Capacity: 1000ml refillable Bottle

Power Supply: 12v DC adaptor

Power: 15W

Dimensions: 295x113x230 mm

Working control through APP(Connectivity with your modile via bluetooth)

Can be connected to HVAC Air conditioning unit.



GCM-246, Aroma Diffuser

Coverage: 500 cu.m.

Capacity: 800ml refillable Bottle

Power Supply: 12v DC adaptor

Power: 4.5W

Dimensions: 177x97x210 mm

Working control through APP(Connectivity with your modile via bluetooth)



GCM-247, Aroma Diffuser

Coverage: 2500-4000 cu.m.

Capacity: 1500ml refillable Bottle

Power Supply: 12v DC adaptor

Power: 15W

Dimensions: 186x186x650 mm

Working control through APP(Connectivity with your modile via bluetooth)

DIFFUSER

GCM-115C, Aroma Diffuser LED

- * Material : ABS
- * Capacity : 168ml
- * Coverage Area : 50-100 cu.m
- * Operation : LED
- * Power : 2W
- * Voltage : DC 6V
- * Dimensions : 180 x 83 x 63 mm



GCM-116C, Aroma Diffuser LCD

- * Material : ABS
- * Capacity : 168ml
- * Coverage Area : 50-100 cu.m
- * Operation : LCD
- * Power : 2W
- * Voltage : DC 6V
- * Dimensions : 180 x 83 x 63 mm

GCM-213, LCD Scent Diffuser 200ml

- * Aroma Diffuser
- * Capacity : 200ml Refillable Bottle
- * Coverage Area : 300 cu.m
- * Operation : DC Adapter
- * Diffusing ON/OFF : 20 Preset Settings
- * Power : 4W
- * Working Control through APP (Connectivity with your mobile via bluetooth)
- * Dimensions : 110 x 65 x 158 mm



GCM-214, LCD Scent Diffuser 350ml

- * Aroma Diffuser
- * Capacity : 350ml Refillable Bottle
- * Coverage Area : 500 cu.m
- * Operation : DC Adapter
- * Diffusing ON/OFF : 20 Preset Settings
- * Power : 4W
- * Working Control through APP (Connectivity with your mobile via bluetooth)
- * Dimensions : 110 x 75 x 225 mm

GCM-217, LCD Scent Diffuser 200ml

- * Aroma Diffuser
- * Capacity : 200ml Refillable Bottle
- * Coverage Area : 1000 cu.m
- * Operation : DC Adapter
- * Diffusing ON/OFF : 20 Preset Settings
- * Power : 4W
- * Working Control through APP (Connectivity with your mobile via bluetooth)
- * Dimensions : 157 x 73 x 210 mm



GCM-218, LCD Scent Diffuser 500ml

- * Aroma Diffuser
- * Capacity : 500ml Refillable Bottle
- * Coverage Area : 1500 cu.m
- * Operation : DC Adapter
- * Diffusing ON/OFF : 20 Preset Settings
- * Power : 10W
- * Working Control through APP (Connectivity with your mobile via bluetooth)
- * Dimensions : 175 x 100 x 250 mm

GCM-215, LCD Scent Diffuser 500ml

- * Aroma Diffuser
- * Capacity : 500ml Refillable Bottle
- * Coverage Area : 1000 cu.m
- * Operation : DC Adapter
- * Diffusing ON/OFF : 20 Preset Settings
- * Power : 6W
- * Working Control through APP (Connectivity with your mobile via bluetooth)
- * Dimensions : 120 x 120 x 350 mm



GCM-211, LCD Scent Tower Type

- * Aroma Diffuser
- * Capacity : 500ml Refillable Bottle
- * Coverage Area : 3000 cu.m
- * Operation : DC Adapter
- * Diffusing : ON/OFF : Configurable from 5 sec. to 300 sec.
- * Power : 21-25W
- * Oil Consumption : 2-3 g/Hr.
- * Dimensions : 145 x 145 x 565 mm



GCM-212, LCD Scent Diffuser for AHU Connectivity

- * Aroma Diffuser
- * Capacity : 1200ml Refillable Bottle
- * Coverage Area : 6000 cu.m
- * Operation : 220-240 AC Supply
- * Diffusing : ON/OFF : Configurable from 5 sec. to 300 sec.
- * Power : 21-25W
- * Oil Consumption : 4-5 g/Hr.
- * Dimensions : 300 x 150 x 350 mm



ABS HAND DRYERS

GCM-172B, ABS V Shape Hand Dryer Black



- * Voltage: 230V
- * Power capacity: 1300W
- * Motor Power : 900W
- * RPM : 30000
- * Air Speed : 150m/s
- * Noise Level : 72dB
- * Water Splash Proof : IPX1
- * Electrical Isolation : Class II
- * Material: ABS
- * HEPA FILTER
- * Dimensions : 234W*392H*144D

GCM-156, Hand Dryer



- * Material : ABS
- * Motor Power : 500W
- * Rated Power : 1050W
- * Power Supply: 220V/50Hz
- * Noise Level : 72 db
- * Air Speed : 95 m/s
- * RPM : 22000
- * Drying Time : <15 seconds
- * Filter : HEPA
- * Dimensions : 284 x 331 x 186 mm
- * Water Splash Proof : IPX1

GCM-108, QUICK DRY(1000W)



- * Material : ABS
- * Power : 1000 W
- * Air Speed : 30m/s
- * RPM : 22000
- * Drying Time : <15 Sec
- * Dimensions : W248 x D175 x H250 mm

GCM-141, HAND DRYER ABS (1800W)



- * Material: ABS
- * Power: 1800 W
- * Power Supply: 220V(50Hz-60Hz)
- * Air Speed: 16 m/s
- * RPM : 2300
- * Drying Time : <50Sec
- * Noise Level : 25 db
- * Dimensions: W240*D240*H230 mm

GCM-141 A, ABS HAND DRYER (2000W)



- * Material : ABS
- * Power : 2000 W
- * Power Supply : 220V/50Hz
- * Air Speed : 16m/s
- * RPM : 2500
- * Drying Time : <10 Sec
- * Dimensions : 410 x 240 x 135 mm



ABS HAND DRYERS COLOUR SERIES

GCM-221, Hand Dryer



WHITE



BLACK



SILVER

Voltage: 230V
Power capacity: 950W
Motor Power : 400W
RPM : 30000
Air Speed : 85m/s
Noise Level : 72dB

Water Splash Proof : IPX3
Electrical Isolation : Class II
Material: ABS
HEPA FILTER
Dimensions : 255W*250H*100D

GCM-224, Hand Dryer



WHITE



BLACK




SILVER

Voltage: 230V
Power capacity: 950W
Motor Power : 400W
RPM : 30000
Air Speed : 85m/s
Noise Level : 72dB


Water Splash Proof : IPX3
Electrical Isolation : Class II
Material: ABS
HEPA FILTER
Dimensions : 266W*245H*110D

ABS HAND DRYERS COLOUR SERIES


GCM-225, Hand Dryer



WHITE



GOLDEN



BRUSHED



GREY

Voltage: 230V
Power capacity: 950W
Motor Power : 400W
RPM : 30000
Air Speed : 85m/s
Noise Level : 72dB

Water Splash Proof : IPX3
Electrical Isolation : Class II
Material: ABS
HEPA FILTER
Dimensions : 275W*245H*100D

GCM-181, Hand Dryer



WHITE



SILVER



YELLOW

Voltage: 230V
Power capacity: 900W
Motor Power : 400W
RPM : 20000
Air Speed : 82m/s
Noise Level : 72dB

Water Splash Proof : Ip24
Electrical Isolation : Class II
Material: ABS
HEPA FILTER
Dimensions : 154W*255H*99D

S.STEEL HAND DRYERS

GCM-172S Stainless Steel Hand Dryer(1300W)



- * Voltage: 230V
- * Power capacity: 1300W
- * Motor Power : 900W
- * RPM : 30000
- * Air Speed : 150m/s
- * Noise Level : 72dB
- * Water Splash Proof : IPX1
- * Electrical Isolation : Class II
- * Material: S.Steel 304 Grade
- * HEPA FILTER
- * Dimensions : 234W*392H*144D

GCM-106 Stainless Steel Hand Dryer (2500W)



- * Material : Stainless Steel (304G)
- * Power : 2500 W
- * Power Supply : 230V/50Hz
- * Air Speed : 30m/s
- * RPM : 12000
- * Drying Time : <15Sec
- * Noise Level : 45 db
- * Dimension : 275*200*230 mm
- * Blower : Aluminium

GCM-191 Stainless Steel Hand Dryer(1400W)



- Voltage: 230V
- Power capacity : 1400W
- Motor Power : 550W
- RPM : 20000
- Air Speed : 70m/s
- Noise Level : 70dB
- Water Splash Proof : Ip24
- Electrical Isolation : Class II
- Material: S.Steel 304 Grade
- HEPA FILTER
- Dimensions : 302W*312H*172D

GCM -148,Robust Iron Hand Dryer (1500 W)



- * Material: Iron
- * Power: 1500 W
- * Power Supply: 220 V(50Hz - 60 Hz)
- * Air Speed: 16 m/s
- * RPM : 2100
- * Drying Time : <50sec
- * Noise Level : 30 db
- * Dimension: 265*125*205 mm

GCM-156S Stainless Steel Hand Dryer (1050W)



- * Material : Stainless steel (304G)
- * Motor Power : 500W
- * Rated Power : 1050W
- * Power Supply: 220V/50Hz
- * Noise Level : 72 db
- * Air Speed : 95 m/s
- * RPM : 22000
- * Drying Time : <15 seconds
- * Filter : HEPA
- * Dimensions : 284 x 331 x 186 mm
- * Water Splash Proof : IPX1

S.STEEL HAND DRYERS

GCM-110 (A) Stainless Steel Hand Dryer(1800W)



GOLDEN

BLACK

Technical Specifications:

- * Material : Stainless steel (304G)
- * Power : 1800 W
- * Power Supply: AC220V-50Hz
- * Air Speed : 100 m/s
- * RPM : 26000
- * Drying Time : 7-10 seconds
- * Noise Level : 75 db
- * Dimensions : 295X 175 X 325 mm

GCM -187 Stainless Steel Hand Dryer (1000W)




GOLDEN

BLACK

Technical Specifications:

- * Material : Stainless steel (304G)
- * Motor Power : 500W
- * Rated Power : 1000W
- * **Hot/Cold Switch Option**
- * Power Supply: AC220V-50Hz
- * Hepa Filter : Yes
- * Air Speed : 100m/s
- * RPM : 30000
- * Drying Time : <15 seconds
- * Noise Level : 72 db
- * Internal UVC technology 360° sterilize in air
- * Fitted with advance sensor with Blue LED Light
- * Dimensions : 183W x 275H x 162D mm

GCM-179 Stainless Steel Hand Dryer(1800W)



GOLDEN

BLACK

Technical Specifications:

- * Material : Stainless steel (304G)
- * Motor Power : 550W
- * Rated Power : 1800W
- * **Hot/Cold Switch Option**
- * Power Supply: 220V/50Hz
- * Air Speed : 110m/s
- * RPM : 26000
- * Drying Time : <15 seconds
- * Noise Level : 72 db
- * Dimensions : 295 x 325 x 180 mm

JET HAND DRYERS



GCM-231 White

Technical Specifications:

Voltage: 230V

Power capacity: 1850W

Motor Power : 750W

RPM : 22000

Air Speed : 95m/s

Noise Level : 70dB

Water Splash Proof : Ip24

Electrical Isolation : Class II

Material: ABS

HEPA FILTER

Dimensions : 296W*556H*175D



GCM-231 Silver

Technical Specifications:

Voltage: 230V

Power capacity: 1850W

Motor Power : 750W

RPM : 22000

Air Speed : 95m/s

Noise Level : 70dB

Water Splash Proof : Ip24

Electrical Isolation : Class II

Material: ABS

HEPA FILTER

Dimensions : 296W*556H*175D



GCM-155

Technical Specifications:

* **Material :** ABS

* **Rated Power :** 2000 W

* **Motor Power :** 1200 W

* **RPM :** 25000 r/min

* **Air Speed :** 100 m/s

* **Drying Time :** 7-9 sec.

* **Protection Class :** IPX4

* **Brush AC Motor**

* **Air Temperature :** 65 + 15°C

* **Filter :** HEPA

* **Dimensions :** 340 x 260 x 530 mm

JET HAND DRYERS



GCM-104
Stainless Steel Jet Hand Dryer

Technical Specifications:

- * Material : Stainless Steel
- * Motor Type : AC Brush Motor
- * Voltage : 220/240V
- * Motor Power : 800 W
- * Rated Power : 1650 W
- * Rated Frequency : 50-60 Hz
- * Protection Class : IPX4
- * Drying Time : 12-15 sec.
- * Air Speed : 95 m/s
- * Noise Level : 72 db
- * RPM : 25000
- * Heater Element : YES
- * Dimensions : 300 x 222 x 730 mm

Safe Protection

- Ex-High Temperature, Ex-Long Time
- Super-High Current



GCM-192
Jet Hand Dryer Brushless Motor
(*5 Year warranty on Motor)

Technical Specifications:

- * Voltage : 220-240 V
- * Motor Power : 700 W
- * Rated Power : 1850 W
- * Rated Frequency : 50-60 Hz
- * Rated Current : 9 A
- * Protection Class : IPX4
- * Drying Time : 6-10s
- * Air Speed : 95 m/s
- * Noise Level : 70 db
- * Material : ABS
- * RPM : 24000
- * Filter : HEPA
- * Dimensions : 305 x 200 x 655 mm
- * Persistent operations of Brushless AC Motor
- * Intelligent, Convenient, A Slinky Display LCD Screen




GCM-152
Jet Hand Dryer

Technical Specifications:

- * Voltage : 220-240 V
- * Motor Power : 850 W
- * Rated Power : 2000 W
- * Rated Frequency : 50-60 Hz
- * Rated Current : 9 A
- * Protection Class : IPX1
- * Drying Time : 10-12s
- * Air Speed : 95 m/s
- * Noise Level : 80 db
- * Material : ABS
- * RPM : 18000
- * Heater Element : YES
- * Dimensions : 400 x 350 x 730 mm
- * Persistent operations of Brush AC Motor
- * Intelligent, Convenient, A Slinky Display LCD Screen



GCM INDUSTRIES



Hand Dryers | Air Curtains | Diffusers
Robotic Floor & Glass Cleaning Machines
Soap & Paper Dispensers
Foam Dispenser | Sanitizer Dispenser
Body & Hair Dryers | Shoe Shining Machines